

**DECLARATION OF PERFORMANCE
CE104**



1. Product Type: **Low Rise Crossover Angles**
2. Identification: **Product ID code is shown on delivery ticket**
3. Intended Use: **Precast concrete kerb unit for use in external flooring applications**
4. Manufacturer: **Thomas Armstrong (Holdings) Ltd Workington Rd,
Flimby, Maryport, Cumbria. CA15 8RY**
5. Authorised Representative: **Not applicable**
6. AVCP: **System 4**
7. Harmonised Standard: **EN 771-4 : 2011**
8. ETA: **British Board of Agrément, PO Box 195, Bucknalls Lane, Garston,
Watford. WD25 7NG (NB 0836)**
9. Declared Performance:

Essential Characteristics	Performance	Harmonised technical specification	
Intended Use	External Flooring	EN 771-4 : 2011	
Emission of Asbestos	X		
Breaking Strength	3.5 MPa		
Slip/Skid Resistance	Satisfactory		
Thermal Conductivity	X		
External Fire Performance	X		
Durability	Abrasion		4
	Resistance to Weathering		2
Reaction to fire	X		

X = Not Relevant

10. The performance of the product identified in 1 and 2 is in conformity with the declared performance in 9.

This Declaration of Performance is issued under the sole responsibility of the manufacturer identified in 4.

Signed on behalf of the manufacturer:

J Mason (Technical Manager)
Brompton-on-Swale, North Yorkshire 1st June 20 13



**Thomas Armstrong (Holdings) Ltd Workington Rd,
Flimby, Maryport, Cumbria. CA15 8RY**

13

CE104

EN 771-4 : 2011

Low Rise Crossover Angles

Category II autoclaved aerated concrete masonry unit

Intended Use	External Flooring
Emission of Asbestos	X
Breaking Strength	3.5MPa
Slip / Skid Resistance	Satisfactory
Thermal Conductivity	X
External Fire Performance	X
Durability	Satisfactory
Reaction to fire	X

X = Not Relevant

See also Declaration of Performance CE104